



F6257046 Aluminized Bronze

KTribe Suspension 2

Designed by Philippe Starck, 2005




Halogen - 150W

Suspension lamp providing diffused light. PC (polycarbonate) inner diffuser, with opal white finish. Outer diffusers in transparent or fumèe PMMA (polymethylmethacrylate), and silver or bronze on the inner surface, by vacuum aluminum coating. Three stainless steel cables, length 4000 mm for suspension of the diffuser assembly. White ceiling rose.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

EAN	8059607021446		
Mounting	Suspension		
Environments	Indoor dry location		
Light Source Type	Bulb		
Lamp category	Halogen		
Lamp holders	E27		
Ilcos	HSGS		
Number of heads	1		
Power (W)	150		

Physical

Colour	Aluminizea Bronze
Length (mm)	395
Cord length (mm)	2700
Canopy dimension (mm)	19
Canopy width (mm)	114
Net weight (kg)	2.45
Package height (mm)	450
Package width (mm)	485
Package length (mm)	485
Package volume (m3)	0.11
IP internal	20

Mounting instructions	<u>↓</u> PDF
Spare Parts	业 PDF
Photometric Files	5
LDT / IES	<u>↓</u> LDT
Technical Drawin	gs
2D	⊥ ZIP




















Schematic light drawing



Beam	Beam Angle:	
h(m)	E(lx)	D(m)
1	152	1.83
2	38	3.66
3	17	5.49
4	9	7.31
5	6	9.14

Photometric

Lighting type Indirect, Direct Light distribution Asymmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No





NOT INCLUDED


RF30429

LED Opal Lamp E27 21W 2700K A65 Dimmable NOT INCLUDED

RF26998

LED 21W E27 2450lm 3000K DIMMER

Spare Parts



01.	S2/S3 ceiling rose assembly	RF6257001
02.	5 meter sil/fep 2x0,75	RF4190200
	transparent electrical cable	
03.	Steel cable packed 3 pieces mt.	RF29875
	3	
04.	Wiring assembly and external	RF6257003
	diffuser with support	
05.	Ktribe S2 calibre internal diffuser	RF19802

DOWNLOAD





S2/S3 ceiling rose assembly



RF4190200

5 meter sil/fep 2x0,75 transparent electrical cable



RF29875

Steel cable packed 3 pieces mt. 3



RF6257003

Wiring assembly and external diffuser with support



RF19802

Ktribe S2 calibre internal diffuser